



XM
The new dimension
of fresh milk preparation



XM milk preparation

The XM is the ideal fresh milk complement to your semi-automatic coffee machine. It provides high output with consistent quality even with frequently changing staff. It also meets the most exacting demands for gentle processing of fresh milk for a wide range of milk types.

Barista quality

Milk foam with variable consistency, perfectly foamed at the touch of a button. Create your coffee specialities like a barista, with a constant quality level, hot or cold.



Hygienic

The automatic HACCP-certified cleaning process guarantees hygienically flawless operation with minimal time expenditure.



Diversity

The XM can be expanded with any add-on units. For example, the aroma module refines your beverages with a wide range of flavour varieties.



PowerSteam

Our PowerSteam enables professional foaming of a wide variety of milk and alternative products in larger quantities. The PowerSteam automatically performs with the skills of a barista, including temperature monitoring.



Properties



Beverages

- Milk
Variable temperature from cold to hot
- Milk foam
Variable consistency and temperature from cold to hot
- Milk foam (XM PS)
Variable consistency and temperature

Features

- AutoClean function
- TouchScreen 7", video capable
- Rex-Royal Cloud (optional)

Quality

- High-quality materials
- Solid, sustainable construction
- Swiss Made

		XM	XMd	XM PS	XMd PS
1 type of milk	Milk & milk foam	●	●	●	●
2 types of milk	Milk & milk foam	●	●	●	●
PowerSteam		●	●	●	●
Weight kg		33	33.3	33.9	34.2
Electrical connection		A	A	B	B

Electrical connection

A 220-240V | ~50/60 Hz | 2.0-2.4 kW
 B 380-415V | ~50/60 Hz | 4.9-5.5 kW


Fresh water

Tube G 3/8" L = 2000 mm
 Pressure 100-500 kPa / 1-5 bar
 Hardness 5-8 dH° / 8-14 fH°
 Chlorine < 30 ppm/l

Drain

Tube ø 27 mm L = 2000 mm
 Drain ø 48 mm

Dimensions



Add-on units

210 UBR



188

7l cooler

L7 / L7 UBR (under-counter)
17 kg | 0.04 kW*

250 UBR



230

9l cooler

L9 / L9 UBR (under-counter)
18 kg | 0.04 kW*



230

9l cooler

L9s with dispenser
20 kg | 0.04 kW*



300

10l cooler

R10 UBR (under-counter)
30 kg | 0.09 kW*
1 or 2 types of milk



255

15l cooler

L15 / L15 UBR (under-counter)
23 kg | 0.08 kW*



178

Aroma module

A
16 kg



250

Cup warmer

W
17 kg | 0.16 kW*



180

Cup dispenser

CD
13 kg

* 220-240V | ~50/60 Hz



rex-royal

19:37



Milk Foam for Latte Macchiato



Milk Foam for Cappuccino



Almond Milk PS 65°C



Milk PS Foam 65°C



Milk Cold



Milk Foam Cold



Soy Milk PS Foam 65°C



Purge

swiss made

XM

rex-royal



Sustainable

Personal



Swiss Made

High quality & robust

Switzerland (headquarters)

Rex-Royal AG
Industriestrasse 34
CH-8108 Daellikon | Zuerich
T: +41 44 847 57 57
info@rex-royal.ch
www.rex-royal.ch

International

info@rex-royal.com
www.rex-royal.com

Germany

Rex-Royal Kaffeemaschinen GmbH
Bahnhofstrasse 104
D-79618 Rheinfelden
T: +49 7623 7414 0
info@rex-royal.de
www.rex-royal.de

Asia | Pacific

Rex-Royal Asia Pte. Ltd.
8 Wilkie Road
#03-01 Wilkie Edge
Singapore 228095
T: +65 9691 6730
info@rex-royal.com
www.rex-royal.com

