



## Rex-Royal S300 CST



## Rex-Royal S300 CST

With the powerful S300 CST, the CT version (coffee and hot water) is enhanced to give it that barista feeling. Using the control knob you can adjust the steam output yourself to froth the milk for your favourite cappuccino or other milk speciality. Mix your desired drink the classic way – by hand. All S300 models can be combined with the S500 model series.

### Features



S- Steam



T- Hot Water



C- Coffee

### Advantages

#### Simultaneous dispensing of hot water, steam and two coffee products

Possible to simultaneously supply hot water, steam and 2 coffees

#### Sales promotion on TouchScreen

Place advertising messages and ambient images on the display

#### Barista steam lance as fresh milk foamer

Barista steam wand to froth up fresh milk

#### Heated coffee outlet

With the optional heated coffee spout, a perfect, hot espresso is guaranteed, even if the machine isn't used for a long time

#### Add-On units

With options like cup warmers, cup dispensers and mobile solutions, the Rex-Royal coffee machines are perfectly suited to meet your requirements

#### Video-capable 10-inch TouchScreen

Intuitive menu navigation thanks to the 10-inch touch screen for the simple and efficient selection of a drink from a range of up to 24 products

#### Short maintenance times

Modular construction for short intervention and maintenance times for a long-term and secure investment

#### Temperature monitored automatic foaming

Optional PowerSteam frother to automatically froth up the fresh milk and monitor the temperature

#### Automatic height adjustable drinks outlet

Due to the automatic outlet, the front of the machine keeps always clean. This because the outlet positions himself always at the right height of the cup or the tea-glass

#### Highest hygiene standards

Automatic, HACCP-certified cleaning process guarantees the machine will run in a perfectly hygienic way with minimal time expenditure



Specifications

General	
Rating	220-240V- 50/60 Hz   380-415V- 50/60 Hz
Power	2.0-3.5 kW   5.8-6.8 kW
Water hot	30 l/h   35 l/h
Weight	47 kg
Width / Height / Depth	342 mm / 758 mm / 610 mm

