

# Rex-Royal S300 CSTI













In addition to the steam lance, the integrated instant module of the Rex-Royal S300 CSTI is also satisfying. Thus, alongside a consistent and excellent coffee quality you can also purchase hot chocolate and other instant powder beverages. All at the touch of a button and on a width of 34 cm. All S300 models can be combined with the S500 model series.

#### **Features**



I- Instant



S-Steam



T- Hot Water



C- Coffee

#### Advantages

## Simultaneous dispensing of hot water, steam and two coffee products

Possible to simultaneously supply hot water, steam and 2 coffees

#### With two integrated instant containers

Two integrated instant powder containers expand the drinks menu to include deliciously smooth and creamy chocolate creations or mixed coffee and vanilla drinks

#### Short maintenance times

Modular construction for short intervention and maintenance times for a long-term and secure investment

#### Temperature monitored automatic foaming

Optional PowerSteam frother to automatically froth up the fresh milk and monitor the temperature

#### Automatic height adjustable drinks outlet

Due to the automatic outlet, the front of the machine keeps always clean. This because the outlet positions himself always at the right hight of the cup or the teaglass

#### Highest hygiene standards

Automatic, HACCP-certified cleaning process

#### Video-capable 10-inch TouchScreen

Intuitive menu navigation thanks to the 10-inch touch screen for the simple and efficient selection of a drink from a range of up to 24 products

#### Sales promotion on TouchScreen

Place advertising messages and ambient images on the display

#### Barista steam lance as fresh milk foamer

Barista steam wand to froth up fresh milk

#### Heated coffee outlet

With the optional heated coffee spout, a perfect, hot espresso is guaranteed, even if the machine isn't used for a long time

#### Add-On units

With options like cup warmers, cup dispensers and mobile solutions, the Rex-Royal coffee machines are perfectly suited to meet your requirements guarantees the machine will run in a perfectly hygienic way with minimal time expenditure

### Specifications

#### General

Rating	220-240V- 50/60 Hz   380-415V- 50/60 Hz
Power	2.0-3.5 kW   5.8-6.8 kW
Water hot	30 l/h   l/h
Weight	49 kg
Width / Height / Depth	342 mm / 758 mm / 610 mm