



Rex-Royal S300 MCTI



Rex-Royal S300 MCTI

In addition to fresh milk and coffee processing, with the Rex-Royal S300 MCTI you can prepare beverages such as chocolate and e.g. vanillocchino at the touch of a button, thanks to an integrated instant module. The S300 MCTI stands for the unadulterated enjoyment of coffee, instant, and fresh-milk beverages. You can choose from a wide range of fridges as add-on units. All S300 models can be combined with the S500 model series.

Features



M- Fresh Milk



I- Instant



T- Hot Water



C- Coffee

Advantages

Simultaneous dispensing of hot water and two coffee products

Possible to simultaneously supply hot water and coffees, even as a double product

With two integrated instant containers

Two integrated instant powder containers expand the drinks menu to include deliciously smooth and creamy chocolate creations or mixed coffee and vanilla drinks

Short maintenance times

Modular construction for short intervention and maintenance times for a long-term and secure investment

Refrigerator units for 4, 7, 9 or 10 liter fresh milk - (S300 & S500)

A variety of cooling units with a fresh milk capacity of 4, 7, 9 or 10 litres. The 10-litre compressor fridge can also be used under the sideboard.

Add-On units

With options like cup warmers, cup dispensers and mobile solutions, the Rex-Royal coffee machines are perfectly suited to meet your requirements

Video-capable 10-inch TouchScreen

Intuitive menu navigation thanks to the 10-inch touch screen for the simple and efficient selection of a drink from a range of up to 24 products

Sales promotion on TouchScreen

Place advertising messages and ambient images on the display

Wonderful fine-pored milk foam

Make fresh milk into a perfect-quality fine-pored froth

Automatic height adjustable drinks outlet

Due to the automatic outlet, the front of the machine keeps always clean. This because the outlet positions himself always at the right height of the cup or the tea-glass

Highest hygiene standards

Automatic, HACCP-certified cleaning process guarantees the machine will run in a perfectly hygienic way with minimal time expenditure



Specifications

General	
Rating	220-240V- 50/60 Hz 380-415V- 50/60 Hz
Power	2.0-3.5 kW 5.8-6.8 kW
Water hot	30 l/h 35 l/h
Weight	50 kg
Width / Height / Depth	342 mm / 758 mm / 610 mm

